To: Way, Steven[way.steven@epa.gov]; Guy, Kerry[Guy.Kerry@epa.gov]; Petri,

Elliott[Elliott.Petri@WestonSolutions.com]

From: Goertz, Dave

Sent: Tue 9/29/2015 7:57:54 PM **Subject:** FW: Pond - Geotech Info

Here is Mike's proposal.

David Goertz, PE

Weston Solutions, Inc.

1435 Garrison Street, Suite 100

Lakewood, CO 80215

Office: 303 729-6123

Cell: 720 635-0818

dave.goertz@westonsolutions.com

From: Michael Berry [mailto:mberry@huddlestonberry.com]

Sent: Tuesday, September 29, 2015 1:55 PM

To: Goertz, Dave

Subject: RE: Pond - Geotech Info

Dave,

CBI/Ex. 4

1792402

CBI/Ex. 4

Thanks.

Michael A. Berry, P.E.

Vice President of Engineering

Huddleston-Berry Engineering & Testing, LLC

640 White Avenue, Unit B

Grand Junction, CO 81501

(970)255-8005 ph

(970)255-6818 fax

From: Goertz, Dave [mailto:Dave.Goertz@WestonSolutions.com]

Sent: Tuesday, September 29, 2015 1:11 PM

To: Michael Berry

Subject: RE: Pond - Geotech Info

They are treatment ponds for discharge from the Gold King Mine. For our purposes I would consider them permanent.

David Goertz, PE

Weston Solutions, Inc.

1435 Garrison Street, Suite 100

Lakewood, CO 80215

Office: 303 729-6123 Cell: 720 635-0818 dave.goertz@westonsolutions.com From: Michael Berry [mailto:mberry@huddlestonberry.com] Sent: Tuesday, September 29, 2015 1:09 PM To: Goertz, Dave Subject: RE: Pond - Geotech Info Dave, Will these ponds be temporary or permanent? Some of the emails suggest that they may be temporary; however, I wanted to verify. Thanks. Michael A. Berry, P.E. Vice President of Engineering Huddleston-Berry Engineering & Testing, LLC 640 White Avenue, Unit B Grand Junction, CO 81501 (970)255-8005 ph (970)255-6818 fax

From: Goertz, Dave [mailto:Dave.Goertz@WestonSolutions.com]

Sent: Monday, September 28, 2015 12:01 PM **To:** Michael Berry (mberry@huddlestonberry.com)

Subject: FW: Pond - Geotech Info

David Goertz, PE

Weston Solutions, Inc.

1435 Garrison Street, Suite 100

Lakewood, CO 80215

Office: 303 729-6123

Cell: 720 635-0818

dave.goertz@westonsolutions.com

From: Goertz, Dave

Sent: Monday, September 28, 2015 11:59 AM

To: <u>HuddlestonBerry@Bresnan.net</u> Subject: FW: Pond - Geotech Info

Mike,

I found your email address. Below is the construction and berm information. The elevations are on the plan view figure provided. For the most part the berm is about 6 feet tall. There are spillways which keep the maximum water elevation at 5 feet. What we need is for you to give us a idea of the stability of these berms. The ponds will be lined with 60-mil HDPE. Call if you

have questions. Also let me know how much you will charge us and I'll get the paperwork started.

Thanks,

DAve

David Goertz, PE

Weston Solutions, Inc.

1435 Garrison Street, Suite 100

Lakewood, CO 80215

Office: 303 729-6123

Cell: 720 635-0818

dave.goertz@westonsolutions.com

From: Petri, Elliott

Sent: Monday, September 28, 2015 9:14 AM

To: Goertz, Dave

Subject: RE: Pond - Geotech Info

Hi Dave,

I spoke with ER and they pond was built as follows:

- 1 Foot Lifts
- Compacted via the excavator bucket
- Material was mostly dry, minimal moisture

I have also reattached the Gradation report, if you can please put together the cross sections based off of our phone call (fairly level subgrade, top of berm \sim 5' wide, \sim 2:1 slopes).

Thanks,

Elliott

Elliott Petri, PE

Weston Solutions, Inc.

1435 Garrison St, Ste 100

Lakewood, CO 80215

Ph: 303-729-6156

Cell: 719-216-2754

Fax: 303-729-6101

From: Goertz, Dave

Sent: Saturday, September 26, 2015 11:43 AM

To: Petri, Elliott < Elliott. Petri@Weston Solutions.com >

Subject:

We need the following Gladstone ponds berm information to package and give to the geotechnical engineer on Monday morning. You can email it to me and I will see he gets it. We need:

- The gradation report
- A description of the construction of the berm including:
- Height of lifts
- o Compaction methods used on each lift

O Qualitative idea of the moisture content of the soil during construction (slightly moist, bone dry etc.)

• Profile or profiles of the berm including dimensions and high water level

I know some of this information will be difficult to accurately provide but do the best you can. The opinion we get will be as good as the information we give him. If some of these data are ranges that is ok.

David Goertz, PE

Weston Solutions, Inc.

1435 Garrison Street, Suite 100

Lakewood, CO 80215

Office: 303 729-6123

Cell: 720 635-0818

dave.goertz@westonsolutions.com

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

CONFIDENTIALITY: This email and attachments may contain information which is

confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.